

Argon Labs NM 1412 Broadway Boulevard, NE Albuquerque, NM 87102


1 of 2

(505) 242-4210 http://www.argonlabsnm.com Lic# CCD-2022-TEST-0001

## **REGULATORY COMPLIANCE TESTING**

**CERTIFICATE OF ANALYSIS** 

OVERALL BATCH RESULTS: Pass DATE ISSUED: 03/21/2024



1	9.442%		ND		22.953%
To	otal THC		Total CBD		Total Cannabinoids
nalyte	LOD	LOQ	Result	Result	
HCa 2-THC 3-THC 4CV 3Da 3D 3DV 3N 3Ga 3G 3G 3C 3ctal THC ttal CBD ttal CBD ttal CBD ttal CBD ttal CBD	mg/g 0.19 0.20 0.11 0.19 0.10 0.09 0.16 0.13 0.16 0.18	mg/g 0.61 0.63 0.35 0.60 0.30 0.29 0.51 0.50 0.41 0.50 0.59	% 21.198 0.851 ND ND ND ND 0.904 ND 0.904 ND 19.442 ND 22.953	mg/g 211.98 8.51 ND ND ND ND 9.04 ND 194.420 ND 194.420 ND 229.53	
tal THC = THCa * 0.877 + tal CBD = CBDa * 0.877 - PLC-DAD ; Method:SOP I	+ CBD		NT		Pass
Complete Moisture Content			Not Tested Water Activity		Visual Inspection
		Нü	an Cue	to	Confident LIMS All Rights Reserved



20 101

coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Hiram Cueto Laboratory Director

LEIF TY TAXXE: ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Argon Labs, using valid testing methologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Argon Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of Argon Labs. approval of Argon Labs.



Argon Labs NM 1412 Broadway Boulevard, NE Albuquerque, NM 87102

(505) 242-4210 http://www.argonlabsnm.com Lic# CCD-2022-TEST-0001

**REGULATORY COMPLIANCE TESTING** 

**CERTIFICATE OF ANALYSIS** 

OVERALL BATCH RESULTS:

DATE ISSUED: 03/21/2024

2 of 2 Microbials Test Results

Pass

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus	Detected in 1g	Absent	Pass
Aspergillus fumigatus	Detected in 1g	Absent	Pass
Aspergillus niger	Detected in 1g	Absent	Pass
Aspergillus terreus	Detected in 1g	Absent	Pass
Salmonella SPP	Detected in 1g	Absent	Pass
Shiga Toxin E. Coli	Detected in 1g	Absent	Pass
PCR + Fluoresence Detection ; Method: SOP ID: ABQ-MIC-07			
VISUAL INSPECTION	Limit	Result	Status
Analyte			<u>Status</u> Pass
		Result Not Detected Not Detected	
<u>Analyte</u> Total Sample Area Covered By Sand, Soil Or Dirt	≤2%/gram	Not Detected	Pass
<u>Analyte</u> Total Sample Area Covered By Sand, Soil Or Dirt Insect Fragment Count	≤2%/gram <1/gram	Not Detected Not Detected	Pass Pass
<u>Analyte</u> Total Sample Area Covered By Sand, Soil Or Dirt Insect Fragment Count Mammalia Excreta Count	≤2%/gram <1/gram ≤1/gram	Not Detected Not Detected Not Detected	Pass Pass Pass

Date Tested: 03/14/2024 Microscopic Inspection Method: SOP ID: ABQ-VI-01





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

confident

Hiram Cueto Laboratory Director

Laboratory Director 03/21/2024 03/21/2024 03/21/2024 03/21/2024 03/21/2024 03/21/2024 03/21/2024 03/21/2024 03/21/2024 05/2024